

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/008,700	12/07/2001	Hong-Sik Jeong	5649-905	5150	
20792	7590 07/07/2006		EXAM	EXAMINER	
	IGEL SIBLEY & SA.	LUU, CHUONG A			
PO BOX 37 RALEIGH.	7428 NC 27627		ART UNIT	PAPER NUMBER	
14 22 231,	1.0 2.32.		2818		
			DATE MAILED: 07/07/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	\f\1			
		10/008,700	JEONG ET AL.				
	Office Action Summary	Examiner	Art Unit	-			
		Chuong A. Luu	2818				
Period fo	The MAILING DATE of this communica or Reply	ation appears on the cover sheet wi	th the correspondence address	;			
A SH THE - Exte after - If the - If NO - Failt Any	MORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICATION OF THIS COMMUNICATION OF THE	ATION. 37 CFR 1.136(a). In no event, however, may a recitation. days, a reply within the statutory minimum of thirt ory period will apply and will expire SIX (6) MON I, by statute, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communi ANDONED (35 U.S.C. § 133).	ication.			
Status							
1)🖂	Responsive to communication(s) filed	on <u>4/21/2006</u> .					
2a)⊠	This action is FINAL . 2b)☐ This action is non-final.					
3)[
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
4)⊠ 5)□ 6)⊠ 7)□	Claim(s) <u>6-24</u> is/are pending in the app 4a) Of the above claim(s) is/are Claim(s) is/are allowed. Claim(s) <u>6-24</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	withdrawn from consideration.					
Applicat	ion Papers						
	The specification is objected to by the B	Examiner					
·	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
,—	Applicant may not request that any objection						
	Replacement drawing sheet(s) including the	-, ,	• •	121(d).			
11)	The oath or declaration is objected to b	by the Examiner. Note the attached	Office Action or form PTO-15	52.			
Priority (under 35 U.S.C. § 119						
а)		ocuments have been received. Ocuments have been received in A the priority documents have been all Bureau (PCT Rule 17.2(a)).	pplication No received in this National Stage	e			
Attachmer	• •	_					
1) Notice	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTC	4) Interview S	ummary (PTO-413) s)/Mail Date				
3) 🔲 Infor	ce of Draftsperson's Patent Drawing Review (PTC mation Disclosure Statement(s) (PTC-1449 or PT er No(s)/Mail Date		nformal Patent Application (PTO-152)				

Application/Control Number: 10/008,700

Art Unit: 2818

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 6-24 have been considered but are moot in view of the new ground(s) of rejection.

PRIOR ART REJECTIONS

Statutory Basis

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The Rejections

Claims 6, 8, 10, 12-13, 15, 17-19, 21 and 24 rejected under 35 U.S.C. 102(b) as being anticipated by Habu et al. (U.S. 6,078,073).

Habu discloses a gate electrode structure with.

(6); (15) forming a pattern comprising a pair of mesa regions (2) on a substrate(100) (see Figure 7A);

forming a first insulating layer (3) on the pair of mesa regions (2) (see Figure 7A);

forming a second insulating layer (4) on the pair of mesa regions (2) and the substrate (100) (see Figure 7A);

forming a capping layer (7) on the second insulating layer (4) (see Figure 7B);

patterning the capping layer (7) and the second insulating layer together, such that parts of the first insulating layer that were covered by the second insulating layer are exposed without exposing the mesa regions under the first insulating layer (4) (see Figure 7C);

forming insulating spacers (6') on sidewalls of the second insulating layer (4) such that the second insulating layer (4) is enclosed by the insulating spacers (6'), the capping layer (7), the first insulating layer (3), and the substrate (100) (see Figure 7D);

- (8) further comprising: applying a cleaning solution to the integrated circuit device so as to expose a contact region between the pair of mesa regions by removing at least a portion of a native oxide layer from the contact region (see Figure 15F);
- (10) further comprising: forming a conductive layer on the pair of mesa regions and the substrate so as to fill a contact region between the pair of mesa regions and to cover the mesa regions; removing a portion of the conductive layer such that an upper surface of the first insulating layer, opposite the substrate, is exposed (see Figure 15F);
- (13) wherein forming the insulating spacers comprises: forming a third insulating layer on the capping layer, the sidewalls of the second insulating layer, and the substrate; etching the third insulating layer so as to remove at least a portion of the third insulating layer from the substrate and an upper surface of the capping layer, opposite the substrate (see Figure 6E).
- (17) wherein forming the insulating spacers comprise: forming a third insulating layer on the capping layer, the sidewalls of the second insulating layer, and the etch stop layer; etching the third insulating layer so as to remove at least a portion of the

Application/Control Number: 10/008,700 Page 4

Art Unit: 2818

third insulating layer from the second insulating layer and an upper surface of the capping layer, opposite the substrate (see Figure 6E);

(18) further comprising: removing at least a portion of the etch stop layer from a contact region between the pair of mesa regions (see Figure 7C);

- (19) further comprising: applying a cleaning solution to the integrated circuit device so as to expose a contact region between the pair of mesa regions by removing at least a portion of a native oxide layer from the contact region (see Figure 15F);
- (21) further comprising: forming a conductive layer on the pair of mesa regions and the substrate so as to fill a contact region between the pair of mesa regions and to cover the mesa regions; removing a portion of the conductive layer such that an upper surface of the first insulating layer, opposite the substrate, is exposed (see Figure 15F);

(12); (24) wherein the capping layer may comprise at least one of silicon oxide, silicon nitride, undoped polysilicon, doped polysilicon, or Al₂O₃ (see column 9, lines 20-25).

PRIOR ART REJECTIONS

Statutory Basis

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2818

The Rejections

Claims 9, 14, 20 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Habu et al. (U.S. 6,078,073).

Habu discloses the claimed invention except for specifically describing wherein each of the insulating spacers has a width in a range of about 50Å to about 200Å; wherein the cleaning solution comprises at least one of hydrofluoric (HF) acid or a mixture of NH₄OH, H₂O₂, and H₂O. It would have been obvious to one of that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. In re Aller, 105 USPQ 233 and In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

When the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 105 USPQ 233, 235 (CCPA 1955). Applicant can rebut a prima facie case of obviousness based on overlapping ranges by showing unexpected results or the criticality of the claimed range. "The law is replete with cases in which the difference between the claimed invention and the prior art is some range or other variable within the claims 14 and 23. In such a situation, the applicant must show that the particular range is critical, generally by showing that the claimed range achieves unexpected results relative to the prior art range." In re Woodruff, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990). See MPEP '716.02 - '716.02(g) for a discussion of criticality and unexpected results. Also, It would have been obvious to one having ordinary skill in the art at the time the invention was made to select the specific cleaning

solution that is suitable for its objective, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416. It would have been obvious to one having ordinary skill in the art at the time the invention was made to conduct etching of the capping layer and the second dielectric layer together to reduce the fabricating time and increase the smoothness and uniformity of the stacked layers.

Claims 7 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Habu et al. (U.S. 6,078,073) in view of Jones et al. (U.S. 5,549,786).

Habu teaches the above outlined features except for wherein the second insulating layer is a spin on glass layer. However, Jones discloses an SOG plasma etch process with (7); (16) wherein the second insulating layer is a spin on glass layer (see column 6, lines 50-60). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to combine the above teachings of Habu and Jones by forming a gate electrode or an interconnection is interchangeable. The conductive layer is patterned to form whether an interconnection or a gate electrode to meet its end use during manufacturing a semiconductor device.

Claims 11 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Habu et al. (U.S. 6,078,073) in view of Dennison (U.S. 5,401,681).

Habu teaches everything above except for wherein removing the portion of the conductive layer comprises: chemical mechanical polishing the conductive layer such that the upper surface of the first insulating layer, opposite the substrate, is exposed. However, Dennison discloses a semiconductor device with (11); (22) wherein removing the portion of the conductive layer comprises: chemical mechanical polishing the conductive layer such that the upper surface of the first insulating layer, opposite the substrate, is exposed (see column 6, lines 55-60). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to combine the above teachings of Habu and Dennison by applying chemical mechanical polishing process to remove a conductive material. The conductive layer is patterned to form whether an interconnection or a gate electrode to meet its end use during manufacturing a semiconductor device.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Application/Control Number: 10/008,700 Page 8

Art Unit: 2818

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chuong A. Luu whose telephone number is (571) 272-1902. The examiner can normally be reached on M-F (6:15-2:45).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chuong Anh Luu Patent Examiner June 30, 2006